ELSEVIER

Hearing Research 113 (1997) 263–264

HEARING RESEARCH

Author Index Volume 113

Abrams, R.M., see Huang, X. (113) 173
Aitkin, L., Cochran, S., Frost, S., Martsi-McClintock, A. and Masterton, B.
Features of the auditory development of the short-tailed Brazilian opossum, *Monodelphis domestica*: evoked responses, neonatal vocalizations and synapses in the inferior colliculus (113) 69
Ando, M., see Takeuchi, S. (113) 99
Antonelli, P.J., see Huang, X. (113) 173

Bobbin, R.P., Chu, S.H.B., Skellett, R.A., Campbell, J. and Fallon, M.
Cytotoxicity and mitogenicity of adenosine triphosphate in the cochlea (113) 155

Campbell, J., see Bobbin, R.P. (113) 155
Chambers, P.L., see Leake, P.A. (113) 117
Chays, A., see Maison, S. (113) 89
Chu, S.H.B., see Bobbin, R.P. (113) 155
Cochran, S., see Aitkin, L. (113) 69
Collet, L., see Maison, S. (113) 89
Cotanche, D.A., see Ofsie, M.S. (113) 207
Culling, J.F., see McPartland, J.L. (113) 165

Ding, D.-L., see Zheng, X.-Y. (113) 76

Edds-Walton, P.L., see Fay, R.R. (113) 235
Eggermont, J.J., see Kenmochi, M. (113) 110

Fallon, M., see Bobbin, R.P. (113) 155
Fay, R.R., and Edds-Walton, P.L.
Diversity in frequency response properties of saccular afferents of the toadfish, *Opsanus tau* (113) 235
Finley, C.C., see van den Honert, C. (113) 140
Frank, G., and Kössl, M.
Acoustical and electrical biasing of the cochlea partition. Effects on the acoustic two tone distortions f_2-f_1 and $2f_1-f_2$ (113) 57
Frijns, J.H.M., see Schoonhoven, R. (113) 247
Frost, S., see Aitkin, L. (113) 69
Fukazawa, T.,
A model of cochlear micromechanics (113) 182

Gerhardt, K.J., see Huang, X. (113) 173
Gill, S.S., and Salt, A.N.
Quantitative differences in endolymphatic calcium and endocochlear potential between pigmented and albino guinea pigs (113) 191
Guillemot, J.-P., see Poirier, P. (113) 1

Henderson, D., see Hu, B.H. (113) 198
Henderson, D., see Zheng, X.-Y. (113) 76
Hennig, A.K., see Ofsie, M.S. (113) 207
Hu, B.H., Zheng, X.Y., McFadden, S.L., Kopke, R.D. and Henderson, D.
R-phenylisopropyladenosine attenuates noise-induced hearing loss in the chinchilla (113) 198
Huang, X., Gerhardt, K.J., Abrams, R.M. and Antonelli, P.J.
Temporary threshold shifts induced by low-pass and high-pass filtered noises in fetal sheep in utero (113) 173

Irimajiri, A., see Takeuchi, S. (113) 99

Jiang, H., see Poirier, P. (113) 1

Kenmochi, M., and Eggermont, J.J.
Salicylate and quinine affect the central nervous system (113) 110
Kössl, M., see Frank, G. (113) 57
Kopke, R.D., see Hu, B.H. (113) 198
Kuntz, A.L., see Leake, P.A. (113) 117

Leake, P.A., Kuntz, A.L., Moore, C.M. and Chambers, P.L.
Cochlear pathology induced by aminoglycoside ototoxicity during postnatal maturation in cats (113) 117
Leonova, E.V., and Raphael, Y.
Organization of cell junctions and cytoskeleton in the reticular lamina in normal and ototoxically damaged organ of Corti (113) 14
Lepore, F., see Poirier, P. (113) 1
Lukashkin, A.N., and Russell, I.J.
The voltage dependence of the mechanoelectrical transducer modifies low frequency outer hair cell electromotility in vitro (113) 133

Maison, S., Micheyl, C., Chays, A. and Collet, L.
Medial olivocochlear system stabilizes active cochlear micromechanical properties in humans (113) 89
Martsi-McClintock, A., see Aitkin, L. (113) 69
Masterton, B., see Aitkin, L. (113) 69
McFadden, S.L., see Hu, B.H. (113) 198
McFadden, S.L., see Zheng, X.-Y. (113) 76
McPartland, J.L., Culling, J.F. and Moore, D.R.
Changes in lateralization and loudness judgements during one week of unilateral ear plugging (113) 165
Messana, E.P., see Ofsie, M.S. (113) 207
Micheyl, C., see Maison, S. (113) 89
Mire, P., and Watson, G.M.
Mechanotransduction of hair bundles arising from multicellular complexes in anemones (113) 224
Moore, C.M., see Leake, P.A. (113) 117
Moore, D.R., see McPartland, J.L. (113) 165

Ofsie, M.S., Hennig, A.K., Messana, E.P. and Cotanche, D.A.
Sound damage and gentamicin treatment produce different patterns of damage to the efferent innervation of the chick cochlea (113) 207

Poirier, P., Jiang, H., Lepore, F. and Guillemot, J.-P.

Positional, directional and speed selectivities in the primary auditory cortex of the cat (113) 1
Prijs, V.F., see Schoonhoven, R. (113) 247

Raphael, Y., see Leonova, E.V. (113) 14
Rich, N.C., see Temchin, A.N. (113) 29
Ruggero, M.A., see Temchin, A.N. (113) 29
Russell, I.J., see Lukashkin, A.N. (113) 133

Salt, A.N., see Gill, S.S. (113) 191
Schoonhoven, R., Prijs, V.F. and Frijns, J.H.M.
Transmitter release in inner hair cell synapses: a model analysis of spontaneous and driven rate properties of cochlear nerve fibres (113) 247
Skellett, R.A., see Bobbin, R.P. (113) 155

Takeuchi, S., Ando, M. and Irimajiri, A.
Changes in the volume of marginal cells induced by isotonic 'Cl^- depletion/restoration': involvement of the Cl^- channel and Na^+-K^+-Cl^- cotransporter (113) 99
Temchin, A.N., Rich, N.C. and Ruggero, M.A.
Low-frequency suppression of auditory nerve responses to characteristic frequency tones (113) 29

Van den Honert, C., Finley, C.C. and Xue, S.
Microstimulation of auditory nerve for estimating cochlear place of single fibers in a deaf ear (113) 140

Watson, G.M., see Mire, P. (113) 224

Xue, S., see van den Honert, C. (113) 140

Zheng, X.-Y., Ding, D.-L., McFadden, S.L. and Henderson, D.
Evidence that inner hair cells are the major source of cochlear summating potentials (113) 76
Zheng, X.Y., see Hu, B.H. (113) 198

ELSEVIER

Hearing Research 113 (1997) 265–268

HEARING RESEARCH

Subject Index Volume 113

Acoustic two tone distortion
Low frequency biasing; Electrical biasing; DC current; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

Active cochlear micromechanism
Medial olivocochlear system; Human; Vestibular neurotomy; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

Albinism
Cochlea; Endolymph; Calcium; Melanin; Endocochlear potential (Gill, S.S. (113) 191)

Auditory adaptation
Binaural plasticity; Conductive hearing loss (McPartland, J.L. (113) 165)

Auditory brainstem response
Fetal sheep; Noise; Temporary threshold shift (Huang, X. (113) 173)

Auditory nerve
Biasing; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

Fish; Hearing; Reverse correlation (Fay, R.R. (113) 235)

Inner hair cell; Synaptic transmission; Spontaneous activity; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

Basilar membrane
Auditory nerve; Biasing; Modulation; Rate suppression; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

Best frequency
Marsupial; Development; Hearing onset; Vocal spectrum; Synaptogenesis (Aitkin, L. (113) 69)

Biasing
Auditory nerve; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

Binaural plasticity
Auditory adaptation; Conductive hearing loss (McPartland, J.L. (113) 165)

Calcium
Cochlea; Endolymph; Melanin; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

Cat
Free-field stimulation; Static-sound source; Moving-sound source; Primary auditory cortex (Poirier, P. (113) 1)

Primary auditory cortex; Single unit; Local field potential; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

Immunofluorescence; E-cadherin; Cytoskeleton; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

Cell volume
Cl^- channel; Na^+-K^+-Cl^- cotransporter; Inner ear; Gerbil (Takeuchi, S. (113) 99)

Characteristic frequency
Cochlear implant; Single unit; Cochlear place; Tuning curve; Intermodulation; Spatial tuning (Van den Honert, C. (113) 140)

Chinchilla
Auditory nerve; Biasing; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Cochlea (Temchin, A.N. (113) 29)

Organ of Corti; Noise; R-phenylisopropyladenosine (Hu, B.H. (113) 198)

Choline acetyltransferase
Regeneration; Gentamicin; Sound damage; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

Cl^- channel
Cell volume; Na^+-K^+-Cl^- cotransporter; Inner ear; Gerbil (Takeuchi, S. (113) 99)

Cochlea
Auditory nerve; Biasing; Modulation; Rate suppression; Basilar membrane; Inner hair cells; Chinchilla (Temchin, A.N. (113) 29)

Outer hair cell; Hair cell transducer; Electromotility; Cochlear amplifier (Lukashkin, A.N. (113) 133)

Endolymph; Calcium; Melanin; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

Acoustic two tone distortion; Low frequency biasing; Electrical biasing; DC current; Gain; Operating point (Frank, G. (113) 57)

Cochlea; Outer hair cell; Hair cell transducer; Electromotility (Lukashkin, A.N. (113) 133)

Cochlear implant
Single unit; Cochlear place; Characteristic frequency; Tuning curve; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

Cochlear model
Computer simulation; Organ of Corti (Fukazawa, T. (113) 182)

Cochlear place
Cochlear implant; Single unit; Characteristic frequency; Tuning curve; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

Cochlear potential
Receptor; Cytotoxin; Histology; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

Computer simulation
Cochlear model; Organ of Corti (Fukazawa, T. (113) 182)

Conductive hearing loss
Binaural plasticity; Auditory adaptation (McPartland, J.L. (113) 165)

Congenital deafness
Development; Hair cells; Spiral ganglion; Marginal pillars (Leake, P.A. (113) 117)

Cytoskeleton
Immunofluorescence; E-cadherin; Catenin; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

Cytotoxin
Receptor; Cochlear potential; Histology; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

DC current
Acoustic two tone distortion; Low frequency biasing; Electrical biasing; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

Development
Marsupial; Hearing onset; Vocal spectrum; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)

Congenital deafness; Hair cells; Spiral ganglion; Marginal pillars (Leake, P.A. (113) 117)

E-cadherin
Immunofluorescence; Catenin; Cytoskeleton; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

Electrical biasing
Acoustic two tone distortion; Low frequency biasing; DC current; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

Electrocochleography
VIIIth nerve; Inner ear; Receptor potential (Zheng, X.-Y. (113) 76)

Electromotility
Cochlea; Outer hair cell; Hair cell transducer; Cochlear amplifier (Lukashkin, A.N. (113) 133)

Endocochlear potential
Cochlea; Endolymph; Calcium; Melanin; Albinism (Gill, S.S. (113) 191)

Endolymph
Cochlea; Calcium; Melanin; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

Fetal sheep
Auditory brainstem response; Noise; Temporary threshold shift (Huang, X. (113) 173)

Fibrocyte
Receptor; Cochlear potential; Cytotoxin; Histology; Mitogen (Bobbin, R.P. (113) 155)

Fish
Hearing; Auditory nerve; Reverse correlation (Fay, R.R. (113) 235)

Free-field stimulation
Static-sound source; Moving-sound source; Cat; Primary auditory cortex (Poirier, P. (113) 1)

Gain
Acoustic two tone distortion; Low frequency biasing; Electrical biasing; DC current; Cochlear amplifier; Operating point (Frank, G. (113) 57)

Gentamicin
Regeneration; Sound damage; Choline acetyltransferase; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

Gerbil
Cell volume; Cl^- channel; Na^+-K^+-Cl^- cotransporter; Inner ear (Takeuchi, S. (113) 99)

Guinea pig
Immunofluorescence; E-cadherin; Catenin; Cytoskeleton; Organ of Corti; Ototoxicity (Leonova, E.V. (113) 14)

Hair cell
Mechanotransduction; Loose-patch recording; Sea anemone (Mire, P. (113) 224)

Cochlea; Outer hair cell; Electromotility; Cochlear amplifier (Lukashkin, A.N. (113) 133)

Hair cells
Congenital deafness; Development; Spiral ganglion; Marginal pillars (Leake, P.A. (113) 117)

Hearing
Fish; Auditory nerve; Reverse correlation (Fay, R.R. (113) 235)

Marsupial; Development; Vocal spectrum; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)

Histology
Receptor; Cochlear potential; Cytotoxin; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

Human
Medial olivocochlear system; Active cochlear micromechanism; Vestibular neurotomy; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

Immunofluorescence
E-cadherin; Catenin; Cytoskeleton; Organ of Corti; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

Inner ear
VIIIth nerve; Receptor potential; Electrocochleography (Zheng, X.-Y. (113) 76)

Cell volume; Cl^- channel; Na^+-K^+-Cl^- cotransporter; Gerbil (Takeuchi, S. (113) 99)

Inner hair cell
Synaptic transmission; Auditory nerve; Spontaneous activity; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

Auditory nerve; Biasing; Modulation; Rate suppression; Basilar membrane; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

Intermodulation
Cochlear implant; Single unit; Cochlear place; Characteristic frequency; Tuning curve; Spatial tuning (van den Honert, C. (113) 140)

Local field potential
Cat; Primary auditory cortex; Single unit; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

Loose-patch recording
Mechanotransduction; Hair cell; Sea anemone (Mire, P. (113) 224)

Low frequency biasing
Acoustic two tone distortion; Electrical biasing; DC current; Cochlear amplifier; Gain; Operating point (Frank, G. (113) 57)

Marginal pillars
Congenital deafness; Development; Hair cells; Spiral ganglion (Leake, P.A. (113) 117)

Marsupial
Development; Hearing onset; Vocal spectrum; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)

Mechanotransduction
Hair cell; Loose-patch recording; Sea anemone (Mire, P. (113) 224)

Medial olivocochlear system
Human; Active cochlear micromechanism; Vestibular neurotomy; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

Melanin
Cochlea; Endolymph; Calcium; Albinism; Endocochlear potential (Gill, S.S. (113) 191)

Mitogen
Receptor; Cochlear potential; Cytotoxin; Histology; Fibrocyte (Bobbin, R.P. (113) 155)

Modulation
Auditory nerve; Biasing; Rate suppression; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

Moving-sound source
Free-field stimulation; Static-sound source; Cat; Primary auditory cortex (Poirier, P. (113) 1)

Na^+-K^+-Cl^- cotransporter
Cell volume; Cl^- channel; Inner ear; Gerbil (Takeuchi, S. (113) 99)

Neurofilament
Regeneration; Gentamicin; Sound damage; Choline acetyltransferase; Synapsin (Ofsie, M.S. (113) 207)

Noise
Auditory brainstem response; Fetal sheep; Temporary threshold shift (Huang, X. (113) 173)

Organ of Corti; Chinchilla; R-phenylisopropyladenosine (Hu, B.H. (113) 198)

Operating point
Acoustic two tone distortion; Low frequency biasing; Electrical biasing; DC current; Cochlear amplifier; Gain (Frank, G. (113) 57)

Organ of Corti
Immunofluorescence; E-cadherin; Catenin; Cytoskeleton; Ototoxicity; Guinea pig (Leonova, E.V. (113) 14)

Cochlear model; Computer simulation (Fukazawa, T. (113) 182)

Chinchilla; Noise; R-phenylisopropyladenosine (Hu, B.H. (113) 198)

Otoacoustic emission
Medial olivocochlear system; Human; Active cochlear micromechanism; Vestibular neurotomy; Outer hair cell (Maison, S. (113) 89)

Ototoxicity
Immunofluorescence; E-cadherin; Catenin; Cytoskeleton; Organ of Corti; Guinea pig (Leonova, E.V. (113) 14)

Outer hair cell
Cochlea; Hair cell transducer; Electromotility; Cochlear amplifier (Lukashkin, A.N. (113) 133)

Medial olivocochlear system; Human; Active cochlear micromechanism; Vestibular neurotomy; Otoacoustic emission (Maison, S. (113) 89)

R-Phenylisopropyladenosine
Organ of Corti; Chinchilla; Noise (Hu, B.H. (113) 198)

Primary auditory cortex
Free-field stimulation; Static-sound source; Moving-sound source; Cat (Poirier, P. (113) 1)

Cat; Single unit; Local field potential; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

Quinine
Cat; Primary auditory cortex; Single unit; Local field potential; Salicylate; Tinnitus (Kenmochi, M. (113) 110)

Rate suppression
Auditory nerve; Biasing; Modulation; Basilar membrane; Inner hair cells; Cochlea; Chinchilla (Temchin, A.N. (113) 29)

Rate threshold
Inner hair cell; Synaptic transmission; Auditory nerve; Spontaneous activity; Rate-intensity function (Schoonhoven, R. (113) 247)

Rate-intensity function
Inner hair cell; Synaptic transmission; Auditory nerve; Spontaneous activity; Rate threshold (Schoonhoven, R. (113) 247)

Receptor
Cochlear potential; Cytotoxin; Histology; Fibrocyte; Mitogen (Bobbin, R.P. (113) 155)

VIIIth nerve; Inner ear; Electrocochleography (Zheng, X.-Y. (113) 76)

Regeneration
Gentamicin; Sound damage; Choline acetyltransferase; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

Reverse correlation
Fish; Hearing; Auditory nerve (Fay, R.R. (113) 235)

Salicylate
Cat; Primary auditory cortex; Single unit; Local field potential; Quinine; Tinnitus (Kenmochi, M. (113) 110)

Sea anemone
Mechanotransduction; Hair cell; Loose-patch recording (Mire, P. (113) 224)

Single unit
Cochlear implant; Cochlear place; Characteristic frequency; Tuning curve; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

Cat; Primary auditory cortex; Local field potential; Salicylate; Quinine; Tinnitus (Kenmochi, M. (113) 110)

Sound damage
Regeneration; Gentamicin; Choline acetyltransferase; Neurofilament; Synapsin (Ofsie, M.S. (113) 207)

Spatial tuning
Cochlear implant; Single unit; Cochlear place; Characteristic frequency; Tuning curve; Intermodulation (van den Honert, C. (113) 140)

Spiral ganglion
Congenital deafness; Development; Hair cells; Marginal pillars (Leake, P.A. (113) 117)

Spontaneous activity
Inner hair cell; Synaptic transmission; Auditory nerve; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

Static-sound source
Free-field stimulation; Moving-sound source; Cat; Primary auditory cortex (Poirier, P. (113) 1)

Synapsin
Regeneration; Gentamicin; Sound damage; Choline acetyltransferase; Neurofilament (Ofsie, M.S. (113) 207)

Synaptic transmission
Inner hair cell; Auditory nerve; Spontaneous activity; Rate-intensity function; Rate threshold (Schoonhoven, R. (113) 247)

Synaptogenesis
Marsupial; Development; Hearing onset; Vocal spectrum; Best frequency (Aitkin, L. (113) 69)

Temporary threshold shift
Auditory brainstem response; Fetal sheep; Noise (Huang, X. (113) 173)

Tinnitus
Cat; Primary auditory cortex; Single unit; Local field potential; Salicylate; Quinine (Kenmochi, M. (113) 110)

Tuning curve
Cochlear implant; Single unit; Cochlear place; Characteristic frequency; Intermodulation; Spatial tuning (van den Honert, C. (113) 140)

Vestibular neurotomy
Medial olivocochlear system; Human; Active cochlear micromechanism; Outer hair cell; Otoacoustic emission (Maison, S. (113) 89)

VIIIth nerve
Inner ear; Receptor potential; Electrocochleography (Zheng, X.-Y. (113) 76)

Vocal spectrum
Marsupial; Development; Hearing onset; Best frequency; Synaptogenesis (Aitkin, L. (113) 69)